

WARADUR® E or CEVO-cos K-4418

Lipstick – Base Formulation

Formula No V-cos-001

Composition

Phase	Trade name	INCI name	Supplier	Weight [%]
Fat phase	WARADUR® E or CEVO-cos K-4418	Glycol Montanate Glycol Carnaubate	VOELPKER	6.00
	Sasolwax® 5603	Paraffin	Sasol	3.00
	Paracera® M	Paraffin and Microcrystalline Wax	Paramelt	3.00
	Wool Wax	Lanolin	H. Erhard Wagner	6.00
	Vaseline	Petrolatum	H. Erhard Wagner	4.50
	Coconut Fat	Coconut Oil	CMD Naturkosmetik	1.50
	Ceraphyl™ 50	Myristyl Lactate	Ashland	1.50
	Isopropyl Myristate	Isopropyl Myristate	BASF	1.38
	Propylene Glycol Monorizenoleate	-	Merck	3.00
Castor Oil	Castor Oil	Castor Oil	Lanxess	50.00
	Solbrol® P	Propylparaben	Lanxess	0.10
	Oxynex® 2004	Propylene Glycol (and) BHT (and) Ascorbyl Palmitate (and) Glyceryl Stearate (and) Citric Acid	Merck	0.02
Extra phase	Dyes and pigments (28 % paste)		S. Goldmann	20.00

Preparation (300 g batch)

1. Heat the castor oil to achieve a good dispersion of the colour pigments.
2. Heat the fat phase while stirring.
3. Mix the pigment base paste with the fat mass.
4. Pour the lipstick mixture into lipstick containers.

The information contained herein is meant to demonstrate how our products can be used. The given data are suggestions without any guarantee aimed to support customers' development. As production conditions at our customers' facilities are beyond our control we refuse to accept any liability involved in the use of our products. Please observe possible third party patent rights.

Issued: 2018-06-26, supersedes all previous editions

Völpker Spezialprodukte GmbH · Fabrikstraße 1 · 39393 Völpke · Germany · Telephone +49 39402 962-0 · www.voelpker.com

