

PRODUCT INFORMATION

CEVO-mold I-6611

Product Description

CEVO-mold I-6611 is a special wax blend based on natural and semisynthetic ester waxes.

General Advantages

Good release effect on phenolic resins. High melting.

Examples of Use

Textile bonded felts.

Delivery Specifications *

Characteristics	Unit	Target value	Method
Acid value *	mg KOH/g	3 – 10	ISO 2114
Drop point *	°C	85 – 95	ASTM 3954
Colour	–	light yellow/off-white	AA 3.2.1.505
Viscosity @ 120 °C	mPas	approx. 5 – 20	AA 3.2.1.520

Packaging and Handling

Physical form	Pastilles or flakes
Packaging	Paper bag or Big Bag
Storage	Store at ambient temperature on a dry place. Protect from heat/overheating and direct sunlight. The minimum remaining period is 1.5 years and is defined as the minimum shelf life at the customer. Thereafter, tests of the chemical characteristics are recommended. The maximum shelf life of 5 years is indicated.

Safety

CEVO-mold I-6611 is not classified as carcinogenic, mutagenic or reprotoxic; no health or environmental hazards are known, provided it is applied in industrial and professional settings.

For more information, consult SDS.

Delivery Time and Availability

Standard delivery time: 2 – 3 weeks. Preconditions can be met for achieving shorter delivery times on standard products when demanded by the market.

Remark: Voelpker's R&D department is permanently developing new (tailor-made) special wax blends for mould release applications. Please contact us for your individual requirements.

Legislation

Food contact legislation:

- Product for technical applications

Other legislation:

- REACh, RoHS and CONEG compliant
- Ingredients listed in all relevant National Inventories

For further information, please contact application@voelpker.com.